




Hartcran House, 231 Kenton Lane, Harrow, HA3 8RP England
Tel: +44 (0) 20 8909 9595, Fax: +44 (0) 20 8909 2233

UHF FM Receiver Module

Highly sensitive, compact, with fast data settling time

Press Release, October 2008

The RX2G from Radiometrix is a miniature PCB mounted UHF radio data receiver module which is offered in 433.92MHz (UK band) and 434.42MHz (European band) models. It is an updated version of the company's popular RX2A receiver, and incorporates a received signal strength indicator (RSSI).



RX2G Receiver with TX2A Transmitter

With the matching transmitter (or transmitters), this receiver allows the simple implementation of data links (in either one-to-one and multi-node topologies) at speeds of up to 64kbits/s and has a usable range of 300m over open ground. It complies fully with the EN 300 220-3 radio standard and the EN 301 489-3 EMC standard (thanks to its internal filtering mechanism, which minimises spurious radiation and susceptibility).

With a current consumption of only 10mA (typical) and leakage levels of just -125dBm, it does not put any strain on the system design's power budget. It has a -102dBm sensitivity at 1ppm BER, allowing the weakest of signals to be picked up. The module is suitable for a broad range of applications, including car/building security, environmental monitoring, inventory tracking, remote industrial process monitoring and computer networking. Because of the small size (47 x 18 x 4.5mm) and low power requirements, the RX2G is highly optimised for use in portable, battery-powered applications such as hand-held terminals.

About Radiometrix

Established in 1985 and headquartered in London, Radiometrix continues to be recognised as the leading global developer of narrow and wideband radio communication modules. Our diverse product range is suitable for a wide variety of licensed and licence-exempt ISM/SRD wireless applications, and is available worldwide through our global sales and distribution network.

For more information on the company, please visit our website:

www.radiometrix.com

Contact Radiometrix

Editorial queries can be sent to press@radiometrix.com

Sales queries can be directed to the sales department: sales@radiometrix.com

Radiometrix Ltd,
Hartcran House,
231 Kenton Lane,
Harrow,
Middlesex,
HA3 8RP,
UK.
Tel: +44 (0) 208-909-9595
Fax: +44 (0) 208-909-2233

Limitation of liability

The information furnished by Radiometrix Ltd is believed to be accurate and reliable. Radiometrix Ltd reserves the right to make changes or improvements in the design, specification or manufacture of its sub-assembly products without notice. Radiometrix Ltd does not assume any liability arising from the application or use of any product or circuit described herein, nor for any infringements of patents or other rights of third parties which may result from the use of its products. This data sheet neither states nor implies warranty of any kind, including fitness for any particular application. These radio devices may be subject to radio interference and may not function as intended if interference is present. We do NOT recommend their use for life critical applications. The Intrastat commodity code for all our wireless radio modules is: 8542 6000.